



Heavy duty food slicers Extra heavy duty food slicers



The Noaw Range of Gravity Feed Slicers

The Noaw range of gravity feed slicers offer precision-engineered machines with forged steel blades capable of slicing a variety of foods. Italian-made, the Noaw slicers are an essential tool for cafes, restaurants, deli's and fast food outlets.

All models are manufactured from a special anodised aluminium alloy. A robust one-piece body houses the motor and blade mechanism, providing rigidity and eliminating blade deflection during the cutting process, thus producing slices of consistent thickness. This frame also gives the added advantage of easy and safe cleaning with no crevices to harbour food particles.

With work place safety a major consideration for businesses, Noaw features the Safe Guard system to protect users from injury whilst operating and cleaning the machines. The non-removable glass-filled nylon safety blade ring ensures that cleaning is both simple and most importantly, safe. The Noaw extra heavy duty NS350HD features a cast aluminium safety ring guard. The safety ring is hygienic, durable and functional, ensuring that the risk of injury is minimised at all times.

All models are belt driven and come complete with a blade sharpener and safety cut-out switch on the blade cover.

NS220 - Standard Duty	
Blade Diameter (mm)	220
Height of Cut (mm)	145
Length of Cut (mm)	220
Slice Thickness (mm)	0-16
Dimensions (W x D x H mm)	420 x 510 x 340
Motor Power (Watts)	220*



NS250 - Standard Duty	
Blade Diameter (mm)	250
Height of Cut (mm)	170
Length of Cut (mm)	235
Slice Thickness (mm)	0-16
Dimensions (W x D x H mm)	420 x 520 x 360
Motor Power (Watts)	220*



NS300 - Standard Duty	
Blade Diameter (mm)	300
Height of Cut (mm)	220
Length of Cut (mm)	255
Slice Thickness (mm)	0-16
Dimensions (W x D x H mm)	530 x 600 x 460
Motor Power (Watts)	258*



Extra Heavy Duty Range

Noaw extra heavy duty slicers are designed for slicing larger, dense food. With a more solid construction and the use of more robust components than the standard duty slicers, the extra heavy duty slicers are designed for more demanding applications.

NS300HD - Extra Heavy Duty	
Blade Diameter (mm)	300
Height of Cut (mm)	220
Length of Cut (mm)	290
Slice Thickness (mm)	0-16
Dimensions (W x D x H mm)	570 x 620 x 430
Motor Power (Watts)	370*



NS350HD - Extra Heavy Duty	
Blade Diameter (mm)	350
Height of Cut (mm)	250
Length of Cut (mm)	290
Slice Thickness (mm)	0-16
Dimensions (W x D x H mm)	630 x 720 x 450
Motor Power (Watts)	370*



*Motor power watts is load dependent.

Food Slicer Features



Precise slice adjustment

Precise slice thickness adjustment knob, graduated in millimetres.



Sharpening head

Built in sharpening head on all models.



Blade safety guard

Full blade edge guard for complete protection even while cleaning. Model NS350HD features a cast ring guard, all other models feature a glass-filled nylon safety guard.



One piece casting

The one piece anodised casting on all models provides machine rigidity and allows precise shaving of product and easy cleaning.



Consistency

Rear blade deflection cover for consistent product positioning and cleaner operation.

Distributed and serviced in Australia by:

ROBAND
AUSTRALIA PTY LTD

Roband Australia Pty Ltd,
11 Inman Road,
Cromer, NSW 2099
Australia
Tel: +61 2 9971 1788
Fax: +61 2 9971 1336
Email: roband@roband.com.au

Roband New Zealand Ltd,
Greenmount Drive,
East Tamaki,
New Zealand
Tel: +64 9 274 1355
Fax: +64 9 274 1356
Email: roband@roband.co.nz

All machines are manufactured to run at 220/240 Volts Single Phase 50Hz. All dimensions are nominal only. Constant research and development may necessitate machine specification changes at any time. All machines are covered by a 12 month warranty subject to our Terms and Conditions of Trade. Images © 2009 Roband Australia.

The SAFE GUARD SAFETY SYSTEM (© 2002 Roband Australia) detailed in this document, in addition to all images and logos affiliated with this system, remain the intellectual property of Roband Australia and are subject to copyright laws throughout Australia and overseas. This document may not be copied, in part or in its entirety, without the written permission of Roband Australia. All rights reserved. The NOAW™ logo is a registered trademark of Roband Australia Pty Ltd.

Distributor: